




# 1. Das spechtlose Land



























# 2. Seit wann sind die Spechte als Brutvögel ausgestorben?

"The woodpecker is very common in Ireland, a bird of varying colours, white, black, red, blue; it is beautyful, with a long tail, and a strong beak and hooked nails with which it hollows out trees, and in their hollows it builds its nest."

PHILIP O 'SULLIVAN BEARE, 1625

# 3. Waldentwicklung in Irland



Forest Cover decline in Ireland to the 1900's and the projected forest cover by the year 2050 AD.



# 4. Spechtinvasionen in Irland




Abb. 1: Jahressummen auf Helgoland gefangener und beringter Buntspechte (1970 - 96)





Abb. 2: Monatssummen auf Helgoland gefangener und beringter Buntspechte (1970 - 96)




### SPECHTINVASIONEN IN IRLAND

JAHR	ANZAHL
1889/90	9 (10)
1931	2 Vögel vom 10. bis 20. April in Antrim
1949/50	9 (Hutchinson 1989), 29 (Coomb 2009)
1957	1 (September)
1959	1 (Dezember)
1962/63	5
1968/69	29
1971	2
1972/73	15 (Helgoland 40)
1973/74	1
1978/79	1
1979 bis 89	keine Beobachtung
1989 - 2004	3 (Counties Down, Antrim, Wicklow)
2005	3
2006	6
2007	4
2005	September Jungvogel in Co. Wicklow
2007	Anfang Juni 1 Bsp. in Co. Wicklow
2008	20 (23 Vögel) davon 4 zwischen April und August


Datenquelle: C. D. Hutchinson 1989, Birds of Ireland; D. Coombs, Wings 2008, 2009; Internet, mdl.

# 5. Hoffen auf den Buntspecht


#### 10km distribution of Dendrocopos major in Great Britain and Ireland




## CBC/BBS UK 1966—2007 Great Spotted Woodpecker



## BBS index for Wales 1994—2008 Great Spotted Woodpecker





## 6. Überlegungen zur künstlichen Ansiedlung




"It would appear that Mother Nature is one step ahead of us when it comes to the reintroduction of the great spotted woodpecker."

Conor Kelleher, IWT project leader

# 7. Knocking on the Door Buntspechte besiedeln Irland

## **County Map of Ireland**

**Buntspechtnachweise 2008** 



#### **Spechtbeobachtungen 2008**

- \* Anfang April: Weibchen trommelnd Wicklow (Shillelagh)
- \* Einige Tage später: Männchen trommeln und gleich darauf zweites Männchen entdeckt
- \* Mitte April: Männchen und Weibchen bei Balz beobachtet
- → Alle suchen → ohne Ergebnis
- \* 25. Juli 2008 e-mail junger Bsp- bei Brittas (Dublin)
- \* Kurz darauf ein weiterer bei Bray- südl. von Dublin im Co. Wicklow
- \* und dann noch einer im Co. Wicklow und zwei weitere Bsp. in Meath
- \* und Louth außerdem im Mai je ein Vogel auf der Insel Cape Clear und Great Saltee





# 8. Irland im Spechtfieber

#### **Spechtbeobachtungen 2009**

- \* 4 Tage vor St. Patrick's Day 3 Paare in anderen Gebieten der Wicklow Mountains
- \* 21.3.09: 1 Paar beob. Wicklow
- \* Suche nach weiteren Trommlern
- \* 2. Mai Durchbruch: eine Nisthöhle gefunden, ein ad. Specht schaut raus
- \* 10.5 Futtertragen beobachtet
- \* 24. Mai 8 Höhlen bestätigt, eine davon leer
- \* Ergebnis: 8 Bruten / 10 weitere Beobachtungen in Wicklow und weitere u.a. in Dublin und Kildare







### TIMESONLINE

From The Sunday Times

November 23, 2008

## Woodpeckers spotted again after 300-year absence

Conservation project suspended after Mother Nature reintroduces species to Irish woodlands



John Mooney


A PLAN by a conservation group to reintroduce the great spotted woodpecker to Irish woodlands has been put on hold following a natural influx of the bird from Britain and northern Europe.

The Irish Wildlife Trust (IWT) had planned to release woodpeckers into suitable woodland habitats to establish viable breeding populations. But the project has been suspended after sightings of adult and juvenile woodpeckers, or dendrocopos major, in several counties.

"It would appear that Mother Nature is one step ahead of us when it comes to the reintroduction of the great spotted woodpecker," said Conor Kelleher, a conservationist leading the project.



	nialltkeogh		Wednesday 6th May 2009, 18:54	
	Hi Breffni,			
	The UK and Scandinavian popula	ions are both regarded either as distinct subspecies or strong clinal variants but as to whether the birds in Ireland are representatives from both these populat	ions or not nobody can say for certain at the moment.	
	Hopefully a ringed bird gets retr	pped on a headland soon!!!		
	Another question is, are the bird	present at the moment all recent arrivals or have some woodpeckers being secretely breeding away without us knowing? (Or most likely, a combination of bo	th?)	
A SHORE AR	There has often been small irrup	ions of GSWoodpecker into Ireland during the winter months and I wonder if a few of the birds from the 2005/2006 autumn & winter "influx" (ie. 7 records) hu	ng around since?	
		he Howth area, Co. Dublin in autumn 2005 seems to be responsible for irregular reports of woodpeckers in that area up until March of this year (when heard di		
Interestin	here: http://www.irishbirdimage	.com/pages/gallery/birdguide/birdguidepage_greatspottedwoodpecker.html		
meresun	See ya, Niall			
lashinala			Wednesday 6th M	av 2009, 19:
	, ppy Norton's 'lonely irish woodpecke	s' idea was finally appreciated	realizadly out in	u, 2005, 15.
I'd say the	e niche is 'wide open' for thembre	ed away!		
On a side	note1'm not sure some in Ireland	rasp how much this could change the landscape in the next few centuries if they hold on.		
Macsy			Thursday 7th M	nu 2000 12.
	calvase		recently and the occasional Goshawk. There are also a several pairs of Great Spot	
Wood	sglynas		do," was his reply.	tea
I'm sc				
I'd sa	Hope this thre	ad runs well.		
011 4 .	•			
breffr	I really enjoy	ed the last "why no woodpeckers in Ireland"	Thursday 7th M	2000 10-2
	What hannene	d to KnockerNorton	Thursday 7th M	ay 2009, 19:3
The m	What happene	d to knockerworton		
I supp				
On a side	noteI'm not sure some in Ireland	rasp how much this could change the landscape in the next few centuries if they hold on		
As a keys	tone species they are likely to have	e cianificant affect: creatina nectina annortunities for cavity nectina woodland hirds neccibly hats impacting on tree ecology neccibly tree is	overtebrate ecology, competing with other woodland birde/energies atc. accuming they get a	hold.
		s. james		
DEREK C	HARLES	I believe they are breeding at one site in Northern Ireland (maybe someone could clarify this?).	Friday 8th M	ay 2009, 09:
Hi everyo	ne.	Tobaleve diey are precising at one site in Northern Treated (maybe someone could daily diss.).		
Birds thi	nialitkeogh	Heard that they were breeding in Co Down, but forget (true bill- not just keeping it a secret!) the site m	entioned, think it was near Strangford Lough.	
	Hi Breffni, As far as I'm aware there hasn't been a proven or published			
	Despite this, it is likely that breeding did occur last year with	Same guy said they were introduced down south, but that could well be just rumours.		
breffni	Furthermore, a pair were seen chasing each other in suitable - Pair, suitable habital* "D - courtship and display" etc.)	habitat in Co. Wicklow last spring so all in all one can say that last year breeding was most certainly PROBABLE (going by 8TO Bird Alfas breeding codes, "H - in suitable nesting Nabitat", "S - Singing (in this case drumming) male", "B	Friday 8th M	ay 2009, 18:1
		at I know of where there is at least one drumming bird or a pair present. A pair was also seen copulating at one locality. Dick Coombes, Decian Murphy, Moray Souter, Andrew McMilan, Mck Boyle, Earna O'Flyrin & Ed O'Sullivan to	This your h	uy 2005, 10.
	name but a few are some of the Wicklow regulars who have All the potential breeding sites in 2009 can be found and are	een keeping an eye on the woodpeckers so far and I'm sure they will find (if not already) a nest hole with chicks this year, Again, this year, breeding is already likely to be PROBABLE, expected from a new mishistricing com		
Regardir	(1) "Clara Vale"male & female (2) "Rathdrum Wood"drumming male - (both of the above sites may relate to the same general at		ccess - presumably sooner or later someone will confirm this either way.	
	(1) Tomosfinsons Wood 2-3 hints drummins		Cabandari Oth M	2000 . 00-4
Wigwan	(4) "Tinshealy"pair present (possibly 3 birds on site) (5) Treoperation Woodmale & female (6) Kilruddory/Bray2 drumming males (one regularly visit (7) "Annamee"pair, copulation observed	g a garden)	Saturday 9th M	ay 2009, 00:0
Y amelian 1				
I reckon	Some nice shots of the Tinahealy pair here: http://www.irishbirding.com/birds/web/haskwDisn/w-Belobile	id=10395		
	Some nice shots of the Tinahealy pair here: http://www.irishbirding.com/birds/web/task=Display&sightin As for where they came from, last spring certainly seemed to		Conden (Oth M	av 2009 12:5
breffni	As for where they came from, last spring certainly seemed examine DNA or stable isotopes in order to assess origins or	id=10305 supgest that birds are migrating into Ireland as seen with records from both Cape Clear & Great Saltee. In theory, one of the Wicklew birds would need to be cavalet, measured and possibly have a blood/feather sample taken to see. The Standingwain birds are said to be more migratory than UK birds, thus more idealy to turn up here but who knows for certain? San't there meant to be a range expansion in the UK at the moment? of re-introduction project of the Göwcodopcker went ahead under our noses but If it imagine this is largely unfounded!!!	Sunday 10th M	ay 2009, 12:5
<b>breffni</b> I reckon	As for where they came from, last spring certainly seemed examine DNA or stable isotopes in order to assess origins or There was some speculation as to whether or not the propor With historical evidence supposting that the GSWoodpecker	supgest that brids are migrating into Ireland as seen with records from both Cape Clear & Great Saftee. In theory, one of the Wicklow brids would need to be caught, measured and possibly have a blood/feather sample taken to acc. The Sandinavan brids are ased to be more migratory than IX bridt, has more kiely to furn up here but who haves for certain? Isn't there meant to be a range expansion in the UX at the moment?  of windowscine project of the O'Kivologice's were taken during unness but IV lenging this is largely unfounded!!!  as present in Ireland conturies ago when forest cover was much greater, it would seem likely that they would re-colonise or be reintroduced in modern times following an improvement in the status of Irah woodlands.	Sunday 10th M	ay 2009, 12:5
<b>breffni</b> I reckon	As for where they came from, last spring certainly seemed examine DNA or stable isotopes in order to assess origins or There was some speculation as to whether or not the propor With historical evidence supposting that the GSWoodpecker	support that hinds are mispariting into Institute as seen with records from their Cape Class & Great Editive. In theory, one of the Wickles-brids would need to be caught, measured and possibly have a bloodificabler sample taken to see. This Standbrankshill be a few to the seen in the records of the College of the seen of the College of the seen of the Standbrankshill be a range expansion in the LIX at the misman? or re-introduction project of the GOWcodpocker were ahead under our noises but I'd imagine this is largely unfounded!!!	Sunday 10th M	ay 2009, 12:
breffni I reckon Why do	As for where they came from, last spring certainly seemed examine DNA or stable soldips in order to assess origin o There was some speculation as to whether or not the proposition With historical evidence suggesting that the GSWoodpecker I tend to believe that the current (re/polanisation of I related for the summer as a result of an improvement in decidous fi	supgest that brids are migrating into Ireland as seen with records from both Cape Clear & Great Saftee. In theory, one of the Wicklow brids would need to be caught, measured and possibly have a blood/feather sample taken to acc. The Sandinavan brids are ased to be more migratory than IX bridt, has more kiely to furn up here but who haves for certain? Isn't there meant to be a range expansion in the UX at the moment?  of windowscine project of the O'Kivologice's were taken during unness but IV lenging this is largely unfounded!!!  as present in Ireland conturies ago when forest cover was much greater, it would seem likely that they would re-colonise or be reintroduced in modern times following an improvement in the status of Irah woodlands.	Sunday 10th M	
breffni I reckon Why do	As for where they came from, last spring certainly seemed examine DNA or stable soldips in order to assess origin o There was some speculation as to whether or not the proposition With historical evidence suggesting that the GSWoodpecker I tend to believe that the current (re/polanisation of I related for the summer as a result of an improvement in decidous fi	supgest that brids are migrating into Ireland as seen with records from both Cape Clear & Great Saftee. In theory, one of the Wicklow brids would need to be caught, measured and possibly have a blood/feather sample taken to acc. The Sandinavan brids are ased to be more migratory than IX bridt, has more kiely to furn up here but who haves for certain? Isn't there meant to be a range expansion in the UX at the moment?  of windowscine project of the O'Kivologice's were taken during unness but IV lenging this is largely unfounded!!!  as present in Ireland conturies ago when forest cover was much greater, it would seem likely that they would re-colonise or be reintroduced in modern times following an improvement in the status of Irah woodlands.	Sunday 10th M	
breffni I reckon Why do breffr Well a	As for where they came from, last spring certainly seemed examine DNA or stable isotopes in order to assess origins or There was some speculation as to whether or not the propor With historical evidence supposting that the GSWoodpecker	supgest that brids are migrating into Ireland as seen with records from both Cape Clear & Great Saftee. In theory, one of the Wicklow brids would need to be caught, measured and possibly have a blood/feather sample taken to acc. The Sandinavan brids are ased to be more migratory than IX bridt, has more kiely to furn up here but who haves for certain? Isn't there meant to be a range expansion in the UX at the moment?  of windowscine project of the O'Kivologice's were taken during unness but IV lenging this is largely unfounded!!!  as present in Ireland conturies ago when forest cover was much greater, it would seem likely that they would re-colonise or be reintroduced in modern times following an improvement in the status of Irah woodlands.	Sunday 10th M	, 2009, 16:
breffni I reckon Why do	As for where they came from, last spring certainly seemed, examine DNA or stable isotopes in order to assess origins or There was some speculation as to whether or not the propo- WIM historical evidence suggesting that the GSWedgecker. It met to believe that the current (explosionation of trelain for the summer as a result of an improvement in decidous for the summer as a result of an improvement in the summer as a result of an improvement and the summer as a result of an improvement as a resul	suggest that hirds are mispating into Ireland as seen with records from both Cape Class & Great Salves. In theory, one of the Wickles bride would need to be careful, enabled as seen with records from both Cape Class & Great Salves. In theory, one of the Wickles bride would need to be careful to the Cape Class of the		/ 2009, 16:
breffni I reckon Why do breffr Well a GSWs Irish s GSW	As for where they came from, last spring certainly seemed, examine DNA or stable isotopes in order to assess origins or There was some speculation as to whether or not the propo- WIM historical evidence suggesting that the GSWedgecker. It met to believe that the current (explosionation of trelain for the summer as a result of an improvement in decidous for the summer as a result of an improvement in the summer as a result of an improvement and the summer as a result of an improvement as a resul	supgest that brids are migrating into Ireland as seen with records from both Cape Clear & Great Saftee. In theory, one of the Wicklow brids would need to be caught, measured and possibly have a blood/feather sample taken to acc. The Sandinavan brids are ased to be more migratory than IX bridt, has more kiely to furn up here but who haves for certain? Isn't there meant to be a range expansion in the UX at the moment?  of windowscine project of the O'Kivologice's were taken during unness but IV lenging this is largely unfounded!!!  as present in Ireland conturies ago when forest cover was much greater, it would seem likely that they would re-colonise or be reintroduced in modern times following an improvement in the status of Irah woodlands.		/ 2009, 16:
breffni I reckon Why do  breffr Well a GSWs Irish s GSWs carryi	As for where they came from, last spring certainly seemed, examine DNA or stable isotopes in order to assess origins or There was some speculation as to whether or not the propo- WIM historical evidence suggesting that the GSWedgecker. It met to believe that the current (explosionation of trelain for the summer as a result of an improvement in decidous for the summer as a result of an improvement in the summer as a result of an improvement and the summer as a result of an improvement as a resul	suggest that hirds are mispating into Ireland as seen with records from both Cape Class & Great Salves. In theory, one of the Wickles bride would need to be careful, enabled as seen with records from both Cape Class & Great Salves. In theory, one of the Wickles bride would need to be careful to the Cape Class of the		/ 2009, 16:
breffni I reckon Why do breffr Well a GSWs Irish s GSW c carryi scand	As for where they came from, just spring declarity, seemed examine DMA or falled isotopes in neither to assess origins or the present of the control of the control of the control of the present of the control of the	support that brids are migrating into Iroland as seen with records from both Gape Clark & Great Statue. In theory, one of the Wicklew brids would need to be caught, measured and people's have a blood/feather sample taken to see clark. The Standinsons bilds are asked to be more imprastery than the Clark, this more relevant Statue to the houses for crisisal Stat there meant to be a ringing expansion in the Life at the moment of an in-involudation project of the Killwedgecker west absended or our mores but Tel imagine this is terple unfounded.  If a present in Periodic centuries ago when forest cover was much greater, it would seem likely that they would re-colonise or be reinfordured in modern times following an improvement in the statue of Irola woodfands.  If the Wickledgeckers is due to a combination of passible factors; (1) Migratery brids have stated as a result of range expansions in Britation & or the continent, (2) migratery/evirtering brids have those no take in Wickley woodfands on Country or the past number of years (formalizing or temporal test), where extend as a result of range expansions in Britation & or the continent, (2) migratery/evirtering brids have change in the Wickley woodfands on Country or the past number of years (formalizing or the inventional number of years) (formalizin		/ 2009, 16:
breffni I reckon Why do breffr Well a GSWs Irish s GSW c carryi scand	As for where they came from, just spring declarity, seemed examine DMA or falled isotopes in neither to assess origins or the present of the control of the control of the control of the present of the control of the	support that brids are migrating into Iroland as seen with records from both Gape Clark & Great Statue. In theory, one of the Wicklew brids would need to be caught, measured and people's have a blood/feather sample taken to see clark. The Standinsons bilds are asked to be more imprastery than the Clark, this more relevant Statue to the houses for crisisal Stat there meant to be a ringing expansion in the Life at the moment of an in-involudation project of the Killwedgecker west absended or our mores but Tel imagine this is terple unfounded.  If a present in Periodic centuries ago when forest cover was much greater, it would seem likely that they would re-colonise or be reinfordured in modern times following an improvement in the statue of Irola woodfands.  If the Wickledgeckers is due to a combination of passible factors; (1) Migratery brids have stated as a result of range expansions in Britation & or the continent, (2) migratery/evirtering brids have those no take in Wickley woodfands on Country or the past number of years (formalizing or temporal test), where extend as a result of range expansions in Britation & or the continent, (2) migratery/evirtering brids have change in the Wickley woodfands on Country or the past number of years (formalizing or the inventional number of years) (formalizin		cross the with this, eached
breffni I reckon Why do breffr Well a GSWs Irish s GSW c carryi scand	As for where they came from, last spring certainly seemed seamine DNA or falled isotopes in order to assess origin.  There was some speculation as to whether or not the preportion of the preportion of the control (religional control or decided to the control (religionation of triesder the dumper control or decided to the summer as a result of an improvement in decides at the summer as a result of an improvement or decides at the summer as a result	rogest that bridge are migrating into Jestand as seen with records from both Cape Class & Great Statue. In theory, one of the Widdlew bridge would receive to be carried, magazined and people's have a bloodyfeather sample taken to see class. The Standbown bridge are sample expansion in the Life at the moment of a re-interduction project of the OSWoodpacker went ahead under our noises but 1'd imagine this is largely unfounded!!!  as present in Initiated centuries ago when forest cover as much greater, it acuds seem likely that they would re-colonize or be reinforducted in modern following an improvement in the status of Iron woodbands.  OSWoodpackers to due to a combinate of possible factors; if Myosthery brids have steeded as a result or range expansions in this bridge is the continued. (If migratery/invitering brids have those no taky in Widdlew woodbands out quality ever the past number of years (formalizingue being a prime example, where some excellent management is currently going on) and (1) "global warming" has lead to an increase in biodiversity of the inventibiate fauna.  **The Spotted wooddpeckers are now breeding in ireland (at least exportance) and the continued of th	ast 10 active pairs now known), a few	cross the with this, eached
breffni I reckon Why do breffr Well a GSWs Irish s GSW c carryi scand	As for where they came from, last spring certainly seemed seamine DNA or falled isotopes in order to assess origin.  There was some speculation as to whether or not the preportion of the preportion of the control (religional control or decided to the control (religionation of triesder the dumper control or decided to the summer as a result of an improvement in decides at the summer as a result of an improvement or decides at the summer as a result	support that brids are migrating into Iroland as seen with records from both Gape Clark & Great Statue. In theory, one of the Wicklew brids would need to be caught, measured and people's have a blood/feather sample taken to see clark. The Standinsons bilds are asked to be more imprastery than the Clark, this more relevant Statue to the houses for crisisal Stat there meant to be a ringing expansion in the Life at the moment of an in-involudation project of the Killwedgecker west absended or our mores but Tel imagine this is terple unfounded.  If a present in Periodic centuries ago when forest cover was much greater, it would seem likely that they would re-colonise or be reinfordured in modern times following an improvement in the statue of Irola woodfands.  If the Wickledgeckers is due to a combination of passible factors; (1) Migratery brids have stated as a result of range expansions in Britation & or the continent, (2) migratery/evirtering brids have those no take in Wickley woodfands on Country or the past number of years (formalizing or temporal test), where extend as a result of range expansions in Britation & or the continent, (2) migratery/evirtering brids have change in the Wickley woodfands on Country or the past number of years (formalizing or the inventional number of years) (formalizin	ast 10 active pairs now known), a few	cross the with this, eached
breffni I reckon Why do breffn Well a GSWs Irish s GSW i carryi scand	As for where they came from, but sirring certainly seemed seamed became the design seemed to assess enjoys. The common the common that the common that the properties of the common that the properties of the common temperature	rogest that bridge are migrating into Jestand as seen with records from both Cape Class & Great Statue. In theory, one of the Widdlew bridge would receive to be carried, magazined and people's have a bloodyfeather sample taken to see class. The Standbown bridge are sample expansion in the Life at the moment of a re-interduction project of the OSWoodpacker went ahead under our noises but 1'd imagine this is largely unfounded!!!  as present in Initiated centuries ago when forest cover as much greater, it acuds seem likely that they would re-colonize or be reinforducted in modern following an improvement in the status of Iron woodbands.  OSWoodpackers to due to a combinate of possible factors; if Myosthery brids have steeded as a result or range expansions in this bridge is the continued. (If migratery/invitering brids have those no taky in Widdlew woodbands out quality ever the past number of years (formalizingue being a prime example, where some excellent management is currently going on) and (1) "global warming" has lead to an increase in biodiversity of the inventibiate fauna.  **The Spotted wooddpeckers are now breeding in ireland (at least exportance) and the continued of th	ast 10 active pairs now known), a few o	, 2009, 16:5





(Irish Gaelic für "Vielen Dank")